



SSTD PADEL X PADELNESIA.COM

(SSTD-001-3) - Panoramic Hotselling Padel Court Whole Set Material

									SSTD-001-3
Photos & Model No.		Parts		Items		Size&Spec			QTY
Full set of Panoramic Hot Selling Padel Court					20m*10m = 200SQM				
		Steel Column		Steel Material: Q235 High Quality Steel surface treatment: 2 layers powder coating High-durability polyester powder coating on steel Main Steel Column: 100*100*3mm Height: 3M Other Column: 80*40*3mm Height: 3M Upper&Lower Beam: 80*40*3*mm Length: 4M surface treatment: 2 layers powder coating High-durability polyester powder coating on steel Color: Black/Green/Red/Blue/Orange/customized Coating standards: ISO 12944-4					44 pcs
		Steel Mesh Frame		Steel Material: Q235 High Quality Steel surface treatment: 2 layers powder coating High-durability polyester powder coating on steel Seine Frame: 1*2m Frame Square Steel Tube: 40*20*3mm Mesh Wire Diameter: 4mm Mesh hole Size: 50*50mm Color: Black/Green/Red/Blue/Orange/customized Coating standards: ISO 12944-4					46 pcs
		Tempered Glass		Type: Special explosion-proof tempered glass Size:2 *3 M thickness12MM Performance: impact resistance, the grape-shot bag impact property and fragment form comply with GB 15763.2-2005(safety glazing materials in building part 2- tempered glass) Certification: CCC Certificate & CE Certificate Comply with Standard EN12150-2: 2004					18 pcs
		Artificial Grass		Type: Monofilament curled fiber 100% PE Performance: Strong Anti UV Warranty: 5 years Area: 209.2SQM Height: 12mm Dtex: 8000 Density: 52500 needles/m² Backing : PP+NET+SBR High-density perforated backing with reinforced drainage grid Color: Blue/Green/Red/ Customized with white Line Certification: CE Certificate Apply for Standard: EN 15330-1:2013					3 rolls
		LED Flood Light		Wide Range AC Input:110V-240V Power:200W Illuminance: 300 LUX Water Proof:IP65 Beam Angle:60°/ 90° Service Life:8000 hours Blade cooling design, efficient heat dissipation. IK08 tempered glass, better for outdoor usage. High strength die-casting aluminum, safe and reliable. Certification: CE Certificate Applly for standard: EN60598-1/-2:2021					8 pcs
		Light Poles		Shape : Z-shape Steel Material: Q235 high quality steel Column steel tube: 80*40*3mm Color:Black/Green/Customized					4 pcs
		Middle Net		Length:10m Height:920mm Thickness:3mm Material:Polypropylene Mesh Size:45mm Color:Black					1 set
		Middle Post		Steel Material: Q235 high quality Steel post tube size : 80*40*3mm Height: 970mm Color: Black or Customized					2 pcs
		Artificial Grass Adhesive tape		Used for bonding artificial grass Length:100M Width: 30CM					1 roll
		Other small installation accessories, tools, etc.		Stainless Steel 304 Nuts , Screws , Bolts rubber pad, connectors , ect.					1 set

SSTD PADEL X PADELNESIA.COM

(SSTD-00-1) - Panoramic Flagship Padel Court Whole Set Material



SSTD-001-1

Photos & Model No.	Parts	Items	Size&Spec	QTY
Full set of Panoramic Flagship Padel Court			20m*10m = 200SQM	
	Steel Column	Steel Material: Q235 Hot Dip Galvanized Steel surface treatment: 2 layers powder coating Coating standards: ISO 12944-4 High-durability polyester powder coating on steel fencing for coastal areas Main Steel Column: 100*100*3mm Height: 3M Other Column: 100*50*3mm Height: 3M Upper&Lower Beam: 100*50*3*mm Length: 4M Color: Black/Green/Red/Blue/Orange/customized Comply with: EN14904:2006		44 pcs
	Steel Mesh Frame	Steel Material: Q235 Hot Dip Galvanized Steel surface treatment: 2 layers powder coating Coating standards: ISO 12944-4 High-durability polyester powder coating on steel fencing for coastal areas Seine Frame: 1*2m Frame Square Steel Tube: 50*30*3mm Mesh Wire Diameter: 4mm Mesh hole Size: 50*50mm Color: Black/Green/Red/Blue/Orange/customized Comply with: EN 14904: 2006		46 pcs
	Tempered Glass	Type: Special explosion-proof tempered glass Size:2 *3 M thickness*12MM Performance: impact resistance , the grape-shot bag impact property and fragment form comply with GB 15763.2-2005(safety glazing materials in building part 2- tempered glass) Certification: CCC Certificate & CE Certificate Comply with Standard EN12150-2: 2004		18 pcs
	Artificial Grass	Type: Monofilament curled fiber 100% PE Performance: Strong Anti UV Warranty: 5 years Area: 209.2SQM Height: 12mm Dtex: 9500 Density: 63000 needles/m ² Gauge: 3/16" Backing : PP+PP+PU High-density perforated backing with reinforced drainage grid Color: Blue/Green/Red/ Customized with white Line Certification: CE Certificate Apply for Standard: EN 15330-1:2013		3 rolls
	LED Flood Light	Wide Range AC Input:110V-240V Power:200W Illuminance: 300 LUX Water Proof:IP65 Beam Angle:60°/ 90° Service Life:8000 hours Blade cooling design, efficient heat dissipation. IK08 tempered glass, better for outdoor usage. High strength die-casting aluminum, safe and reliable. Certification: CE Certificate Apply for standard: EN60598-1/-2:2021		8 pcs
	Light Poles	Shape: Z-shape Steel Material: Q235 Hot Dip Galvanized Steel Surface : 2 layers powder coating Light pole steel tube: 100*50*3mm Color:Black/Green/Customized		4 pcs
	Middle Net	Length:10m Height:92cm Thickness:3mm Material:Polypropylene Mesh Size:45mm Color:Black		1 set
	Middle Post	Steel Material: Q235 Hot Dip Galvanized Steel Surface : 2 layers powder coating post tube size : 100*50*3mm Height: 970mm		2 pcs
	Artificial Grass Adhesive tape	Used for bonding artificial grass Length:100M		1 roll
	Other small installation accessories, tools, etc.	Stainless Steel 304 Nuts and Bolts		1 set

PADELNESIA.COM

SSTD001-1 PAPEL COURTS CASES

